

**41% GLYPHOSATE**

1000 022 447



# Weed & Grass Killer Concentrate

- Kills weeds & grasses down to the root
- Use in flower beds, along fences and around trees, shrubs, driveways and walkways
- Covers up to 12,900 sq ft
- With surfactant

## ACTIVE INGREDIENT:

\*Glyphosate,  
isopropylamine salt.....41.0%

**OTHER INGREDIENTS.....59.0%**

**TOTAL .....100.0%**

\*Acid equivalent or glyphosate  
content = 30.34%

**KEEP OUT OF REACH OF CHILDREN**

**CAUTION** See back  
booklet for additional  
precautionary statements.

17-14689



**KILLS THE ROOT**

Net Contents  $\frac{1}{2}$  gal (2 qt/64 fl oz/1.8 L)

## WHEN TO APPLY

- For best results, apply during warm, sunny weather (above 60°F)
- Apply when weeds are actively growing and no rain is forecast for 24 hours
- Rainfall or watering two hours after application will not wash away effectiveness
- To avoid drift to desirable plants, apply when the air is calm

## WHEN TO REPLANT

- All ornamental flowers, trees and shrubs and the following berries, fruits, vegetables and herbs may be planted **one day after** application: Artichoke (Jerusalem), Beans (all), Beet Greens, Blackberry, Blueberry, Boysenberry, Broccoli, Brussels Sprouts, Cabbage (all), Carrot, Cauliflower, Celery, Chard (Swiss), Chicory, Collards, Cranberry, Currant, Dewberry, Elderberry, Endive, Gooseberry, Horseradish, Huckleberry, Kale, Kohlrabi, Leek, Lentils, Lettuce, Loganberry, Mustard Greens, Okra, Okra, Olallieberry, Onion, Parsley, Parsnips, Potato, Radish, Rape Greens, Raspberry (Black and Red) Rhubarb, Rutabaga, Spinach, Sweet Potato, Turnip and Yams
- The following fruits, vegetables and herbs may be planted **three days after** application: Corn, Cucumber, Eggplant, Garlic, Gourds, Melons (all), Peas (all), Peppers (all), Pumpkin, Squash (summer and winter), Tomatillo, Tomato (by seed) and Watercress
- Lawn grasses may be planted **seven days after** application
- Tomatoes from transplant and unlisted fruits, vegetables and herbs may be planted **30 days after** application

## WHERE TO USE

**GENERAL WEED CONTROL:** Use along fences, paths, patios, sidewalks, curbs and driveways; around ornamental trees, shrubs, flower beds and plantings; and around buildings. Use for trimming and edging landscapes. **DO NOT use for spot weed treatment in lawns, since HDX™ Weed & Grass Killer Concentrate kills all green plants, including lawn grasses.**

**SPOT TREATMENTS:** Spray directly on actively growing weeds in and around flower beds, ornamental trees, fruit and nut trees, grapevines, shrubs, fences, driveways and walkways. **If HDX Weed & Grass Killer Concentrate is used to control weeds around fruit and nut trees or grapevines, allow 21 days before eating the fruit or nuts.** Do not spray fruit and nut trees or grapevines directly.

**LANDSCAPES:** For use in preparing areas for planting of ornamentals, trees, shrubs, desert landscapes, rock gardens, flower beds or similar plantings. Treated areas can be replanted one day after treatment.

**WILDLIFE AREAS SITE PREPARATION:** Use HDX Weed & Grass Killer Concentrate to prepare areas for planting wildlife food plots. Exotic or undesirable plants can be controlled with HDX Weed & Grass Killer Concentrate to allow for planting or recovery of native plant species. Spot treatments may be directed to selectively remove unwanted plants. **Avoid spray drift to desirable plants.**

## FOR LAWN RENOVATION/REPLACEMENT:

- Use 2 ½ fl oz (5 Tbsp) per gallon of water for each 300 sq ft of area to be treated
- Use this product to remove the old lawn and existing weeds and grasses
- For best results, apply in spring or fall, when daytime temperatures are at least 60°F
- If the lawn is dry, water lawn every other day for a week before applying HDX Weed & Grass Killer Concentrate
- Do not mow for seven days before or after treatment
- After seven days, prepare the soil for planting by raking or roto-tilling the lawn
- Rake up and remove loosened thatch or debris
- Mix in starter fertilizer and soil amendments, if needed. Level the soil
- Apply seed according to directions on seed package, or install sod. Grass seed must have good contact with soil to germinate and grow
- Keep area moist for two weeks to establish new lawn, then water as needed

**FOR BRUSH CONTROL:** Apply to green and actively growing brush. For plants taller than 5 ft, cut them back and spray the regrowth. Fall applications to brush may delay control to the following season. A second application may be required on hard-to-control species such as blackberry, kudzu or poison oak.



PEEL HERE

# Weed & Grass Killer Concentrate

**STOP** READ & FOLLOW LABEL INSTRUCTIONS.

**WHAT IT DOES:**  
*Kills All Types of  
Weeds and Grasses*

## WHERE TO USE OUTDOORS:

- On Patios, Walkways and Driveways
- Around Flowers, Shrubs and Trees
- Along Fences in Large Areas for Lawn Replacement

**WHEN TO USE:**  
*For Best Results, Apply During  
Warm, Sunny Weather (Above 60°F)*

**QUESTIONS OR  
COMMENTS?**  
Call 1-800-332-5553

**NOTICE:** Buyer assumes all responsibility for safety and use not in accordance with directions.

Distributed by Chemisco

Division of United Industries Corporation  
PO Box 142642

St. Louis, MO 63114-0642

EPA Reg. No. 67760-49-9688

EPA Est. Nos. 9688-MO-1 (U), 58996-MO-1 (AE), 11623-GA-1 (CK), 11623-GA-3 (CN)

Circled letter is first letter of lot number.

17-14690

© 2013 UIC


**MARKETED THROUGH:**

**HOME DEPOT**

2455 PACES FERRY RD., N.W.

ATLANTA, GA 30339

PROOF OF PURCHASE



## HOW IT WORKS

This product is a non-selective herbicide that will kill all vegetation contacted. This herbicide kills unwanted plants by inhibiting the production of a substance found only in plants. It enters plants through the sprayed foliage and moves down to the roots. Avoid direct spray or drift onto desirable plants, lawn grasses, shrubs and trees. Protect desirable plants and vegetation with a piece of plastic or cardboard. If desirable plants are accidentally sprayed, wash plants with water immediately. Any HDX™ Weed & Grass Killer Concentrate not absorbed by the plant is broken down into natural materials. This product has no soil activity and thus will not affect nearby untreated plants.

## CONTROLS ALL TYPES OF WEEDS AND GRASSES INCLUDING:

### Annual weeds and grasses:

- |                       |                      |                         |                   |
|-----------------------|----------------------|-------------------------|-------------------|
| •annual bluegrass     | •common ragweed      | •green foxtail          | •prickly lettuce  |
| •annual ryegrass      | •crabgrass           | •hemp sesbania          | •prostrate spurge |
| •barnyardgrass        | •creeping beggarweed | •henbit                 | •puncture vine    |
| •black medic          | •diffuse lovegrass   | •horseweed/marestail    | •purslane         |
| •blue medic           | •dog fennel          | •ironweed               | •redroot          |
| •blue mustard         | •evening primrose    | •knotweed               | •pigweed          |
| •blue toadflax        | •fall panicum        | •lambquarters           | •sandspur         |
| •brassbuttons         | •false dandelion     | •little bitter cress    | •shepherdspurse   |
| •bromegrass           | •fennel              | •London rocket          | •smartweed        |
| •bur clover           | •fiddleneck          | •maiden cane            | •smooth cat's ear |
| •buttercup            | •field pennycress    | •mallow                 | •smooth pigweed   |
| •cheseseweed          | •field sandbur       | •mayweed                | •sowthistle       |
| •chickweed            | •filaree             | •mouseear               | •spotted spurge   |
| •clover               | •Florida pusley      | •chickweed*             | •sprangletop      |
| •common groundsel     | •foxtail             | •oxalis*                | •spurges          |
| •common lambsquarters | •garden spurge       | •Pennsylvania smartweed | •tansy mustard    |
| •common plantain      | •goosegrass          | •pennywort              | •tansy ragwort    |
|                       |                      | •pigweed                | •teaweed          |
|                       |                      |                         | •Texas panicum    |

### Perennial weeds, grasses and brush:

- |                     |                     |                     |
|---------------------|---------------------|---------------------|
| •alder              | •cherry             | •false dandelion    |
| •artichoke thistle  | •cocklebur          | •fescue species     |
| •bahiagrass         | •cogongrass         | •field bindweed     |
| •barnyardgrass      | •common mullein     | •guineagrass        |
| •bentgrass          | •common ragweed     | •hairy crabgrass    |
| •Bermudagrass       | •coral bead         | •honeysuckle        |
| •blackberries       | •coyote brush       | •horsenettle        |
| •bluegrass          | •creeping bentgrass | •horseradish        |
| •broadleaf plantain | •creeping Charlie   | •iceplant           |
| •brownsseed         | •creeping lantana   | •Johnsongrass       |
| •paspalum           | •curly dock         | •Kentucky bluegrass |
| •buckhorn plantain  | •dallisgrass        | •kikuyugrass        |
| •bull thistle       | •dandelion          | •knapweed           |
| •Canada thistle     | •dewberry           | •knawel             |
| •cattail            | •dog fennel         | •kudzu              |
| •ceanothus          | •elderberry         | •lantana            |
| •centipedegrass     |                     | •maiden cane        |

- |                  |                   |                    |                     |            |
|------------------|-------------------|--------------------|---------------------|------------|
| •tansy ragwort   | •vaseygrass       | •wild blackberry   | •willow             | *annual or |
| •thistle         | •Virginia creeper | •wild carrot       | •yarrow             | perennial  |
| •Timothy         | •white clover     | •wild morningglory | •yellow nutgrass    |            |
| •torpedograss    | •whiteweed        | •wild oats         | •yellow starthistle |            |
| •trumpet creeper | •wild barley      | •wild sweet potato | •zoysia             |            |

## STOP Read and follow label instructions

## DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.



**People and pets should not be allowed in treated areas until spray has dried.**

This product is formulated for “spot” treatment of individual weeds and grasses or for treatment of large areas as instructed on this label (see specific site areas below). Apply with a plastic, aluminum or stainless steel tank-type sprayer. **Do not apply with galvanized or unlined steel sprayer, or through any irrigation system or sprinkling can.**

## MIXING INSTRUCTIONS

### TANK SPRAYER (plastic, aluminum or stainless steel)

- Add 2 ½ fl oz (5 Tbsp) to 1 gal of water
- Spot treat or spray evenly over 300 sq ft

### DIAL TYPE HOSE-END SPRAYER

- Set sprayer to the “fl oz/gallon” level specified in the directions
- Use only enough product for the area to be treated
- Close sprayer, attach to hose and apply

### CONCENTRATE PLUS WATER (HOSE END) TYPE SPRAYER

- Determine the amount of concentrate required
- Pour concentrate into sprayer jar to the required “fl oz” level
- Replace sprayer top on jar and apply

### AMOUNT TO USE:

- |  |   |
|--|---|
| • 2 ½ fl oz (5 Tbsp) treats 300 sq ft        | • For easy to kill weeds such as seedlings, |
| 1 Tablespoon (Tbsp) equals 3 teaspoons (tsp) | add 1 ½ fl oz (3 Tbsp) to 1 gal of water    |
| 1 fl oz equals 2 Tablespoons (Tbsp)          |   |

## HOW TO APPLY

- Completely wet the foliage of the target vegetation. Do not overspray
- A single application controls most weeds
- Most treated weeds usually show initial symptoms in two to four days and complete kill in one to two weeks
- Harder-to-control weeds or large weeds may require a repeat application
- Protect desirable plants with a piece of plastic or cardboard
- If desirable plants are accidentally sprayed, wash plants with water immediately
- Ornamental flowers, trees and shrubs may be planted **one day after** application to weeds in planting bed
- Do not mow, cut or otherwise disturb treated vegetation for at least seven days following application

**FOR STUMP TREATMENT:** Stumps can be treated to prevent regrowth. For best results, treat when the vegetation is actively growing or (within five minutes) after being cut down.

- Cut the stump close to the soil surface
- Make four to five nail holes in the stump
- Flood the stump with undiluted product

This procedure will control or suppress many types of woody brush and trees, such as alder, bluegum eucalyptus, madrone, oak, giant reed, saltcedar, sweetgum, and tan oak.

#### **TO KILL VINES:**

- If vine is growing up a pole, fence or mature tree trunk, cut vine to a height of 3-4 feet and spray to thoroughly cover remaining vine
- If vine is climbing a shrub or immature (green) tree trunk, to avoid damage to these plants, cut vine at base and spray its regrowth. Shield shrub and green trunk from spray drift with a sheet of plastic or cardboard

## **STORAGE AND DISPOSAL**

**Pesticide Storage:** Use and store this product only in its original container. Store product in a secure storage area away from sources of heat or open flame. Protect product from freezing.

**Pesticide Disposal:** Nonrefillable container. Do not reuse or refill this container. Offer for recycling if available. Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

**Spill or leak:** In case of spill or leak, soak up with paper towels and discard in trash.

## **PRECAUTIONARY STATEMENTS**

### **Hazards to Humans and Domestic Animals**

**CAUTION.** Harmful if absorbed through the skin. Causes moderate eye irritation. Avoid contact with eyes, skin or clothing. Wash thoroughly with soap and water after handling. Keep children and pets away from treated areas until spray has dried. Avoid contamination of food. Do not contaminate water supplies.

### **FIRST AID**

**If on Skin:** Take off contaminated clothing. Rinse skin with plenty of water for 15-20 minutes. Call a Poison Control Center or doctor for treatment advice.

**If in Eyes:** Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a Poison Control Center or doctor for treatment advice. Have the product container or label with you when calling a Poison Control Center or doctor, or going for treatment.

### **Environmental Hazards**

To protect the environment, do not allow pesticide to enter or run off into storm drains, drainage ditches, gutters or surface waters. Applying this product in calm weather when rain is not predicted for the next 24 hours will help to ensure that wind or rain does not blow or wash pesticide off the treatment area. Rinsing application equipment over the treated area will help avoid runoff to water bodies or drainage systems.

**NOTICE: Buyer assumes all responsibility for safety and use not in accordance with directions.**

**Questions or Comments?** Call 1-800-332-5553.